Index of Authors and Contributors

Names of authors and numbers of pages on which papers begin are printed in bold type

Abdul, N.A., S3
Adie, J.F., 145, S34
Albrecht, P., S49
Alcock, F., S96
Aldridge, L., S66
Allsup, J.R., S29
Aly, S., 1
Annand, W.J.D., 139, S31
Ashley, C., S43
Azar, R.C., S17

Barrows, T.M., S76
Barter, C.L., S37
Baruah, P.C., S47
Baudequin, F., 203
Boneham, G., S94
Bosomworth, P.J., S93
Bramall, B., S25
Bramley, A.N., 9, S4
Bruce, J.G., S25
Bryan, R.P., S7

Campbell, J., S66
Carpendale, D., S96
Carter, A., S95
Carter, A.D.S., S19, S57
Casey, M.V., S9, S64, S92
Castellano, E.J., 145, S34
Chan, R., S74
Clark, A.C., S79
Clark. E.F., S38
Clements, F.G., 269, S63, S95
Clifford, D., 279
Coates, R., 279
Cockram, I.J., S74
Colwill, D.M., S79
Cotton, T., S87
Crawley, F.K., S57
Creer, T.F., 365
Cross, M.E., 123
Crowdy, E.P., S37
Cullimore, M.S.G., S52
Cumpsty, N.A., S20
Cunningham, J., 1

Danziger, N.H., S73
Dartnell, L.M., 17
Darts, J., S51
Davey, D.V., S33
Davidson, J.K., S17
Dean, T.A., 77, S16
Dickson, J.G., S64
Doolin, P.J., S65
Double, C.F., S26, S87

Earles, S.W.E., 249
Ebisawa, M., 27, S7
El Wakil, S.D., S15
Emsley, R.M., 145, S34
Evans, E.G., S10

Faulkner, F.J.S., 113, S26
Fawcett, D., S66
Fawcett, J.N., 97, S18
Fisher, J.W., S50
Fletcher, P.E., S65
Fox, J.A., S75
Fulton, A.B., S65, S95
Furuhama, S., S82

Gardiner, I.D., S9, S63, S67
Garratt, C.H., S64, S95
Getgood, D.C., S87
Goodearl, K.A., S51
Goodison, H., S34
Gowland, P.D., S87
Greenway, D.J., S87
Gülder, Ö.L., 139, S31

Haddad, S.D., S17
Hall, L.C., 157, S39
Hamilton, G.M., 373, S83
Hampson, R.J., S87
Harris, J., S94
Harrison, R.M., 357, S80
Hartington, W., S94
Hashmi, M.S.J., 187
Hawkins, D.A., S93
Hay, N., S21
Heacock, R., 211
Henley, E.D., S11
Hildrew, B., 331
Hodgson, P.J., S11
Holiday, S., S96
Holladay, D., S25
Howell, A.R., S19
Howells, P.J., S91
Hunt, J.D., S44
Hyde, J., S66

James, G.M., 39, S12, S63, S86
Jarvis, E.A.K., S87
Jowett, W.G., S93

Kadhim, S.J., 195
Kilicay, O., 249
Knight, V., 131
Kudo, H., S4

Labouchere, C.M., S58
Lees, F.P., 301, 308, S59
Lenard, J.G., S15
Lightbody, D.M.S., S55
Loraine, T.J., S55
Love, R.J., S43
Low, M.B.J., 171, S42
Low, R.C.S., S9
Lowe, C.B., S11
Lowe, D.R.T., S57
Lowe, P.J., 65
Lucas, G.G., S29, S37

McCartney, H.A., 359, S80
McDonald, J., S66
MacDonald, J.F.S., S11, S92
McGhee, H., S67
McKenzie, A.B., 103, S19, S22
McLester, R., S50
MacMillan, C.G., S33
Maguire, C.M.S., S64, S85
Malin, M.R., 239
Markatos, N.C., 239
Meek, M., 47
Mertz, D.R., S50
Metcalfe, R., S21
Micklethwaite, N., S95
Moore, S.L., 373, S83
Morse, A.P., 291
Murray, J.A., S73

Nakashima, W., 27, S7
Napper, L.F., S87
Nath, Y., S15
Neve, F.J., S7
Nicol, S.W., 97, S18
Nunn, D.E., 259, S49, S52

Oudin, J., S3

Palmer, M.E., 225, S47
Park, A., 279
Parker, D.A., S81
Parkin, P., S66
Pearsall, I.S., S20
Penfold, R.E., S83
Pike, W.C., S81
Pischinger, F., S29
Pitts, K., S96
Pope, C.W., S75
Power, S.R.D., S10, S85, S93
Prydeach, R., S96

Railly, J.W., 195
Rashidi, M., 231
Ravalard, Y., S3
Rawling, R.D., S66
Reizes, J.A., S21
Rendell, F.P., S85
Ribbons, R.T., S11
Ridge, N., 113, S26
Rochelle, P., 203
Rose, E., S66
Roth, A.M., S65
Rovetta, A., S17
Ruddy, B.L., S82
Russell, D.F., 65

Saatci, M.E., 157, S39
Sallet, D.W., 225, S47
Scott, T.E., S65
Sherwin, D.J., 301, 308, S43, S59
Slatter, B.H., S29
Smith, D.W., S52
Smith, J.W., S52
Smith, S.A.S., S11, S64
Smithyman, G.T., S9, S12, S65, S85, S94

© Mech 1981

Sockel, H., S76
Sourbut, J.A., S91
Stables, J.R., 321, S10, S67
Stibbs, R., S94
Stothert, R.N., S34
Sturrers, D.A.J., S93
Subasinghe, S.A.D.A., S85
Sugden, E.A., S96

Tatchell, D.G., 239
Taylor, D.R., S65
Taylor, H., S66
Taylor, K., S64
Theyers, D.W., S66, S87
Thompson, B.S., S17
Thornton, J.N., 9, S4
Tilly, G.P., 259, S49, S52
Todorović, J., 181, S45
Tufnell, R.M., S93
Tunna, J.M., S50

Udoguchi, T., 391

Vardy, A.E., 341, 349, S76
Vincent, P., S66

Wallis, R.A., S20
Walshaw, T.D., S38
Ware, D.K., S25
Waterland, F., S64
Watson, H., S37, S41
Whitelaw, J.H., 291
Wilkinson, D.H., 17
Wilson, D., S86
Wise, S., 383, S88
Woodward, A.R., 85
Wright, J., S67

Yates, J.R., S26, S87
Yianneskis, M., 291

Zdravkovich, M.M., S1

© I Mech 1981

Subject Index

Titles of papers are in bold type

Accelerated testing, S86, S88
Acceptable quality level (AQL), 387, S90
Aerodynamic drag, rapid transit systems, 351
Aerofoils in cascade, separation treatment, 195
Air pollution. *See* pollution control
Air quality standards, S79
Air sampling, pollution control, 357
Airflows in rapid transit systems, 341, 349, S73
Aluminium alloys
  automobile uses, 88
  body sheet, 88
  characteristics, applications and commercial forms, 90
  cylinders with steel liners, 127
  engine components, 92
  future development, 94
  future uses, 85
  history, 85
  markets, 87, 93
  production, 86
  structural members, 92
Aluminium extraction, 96
Ammonium nitrate fertilizer, air pollution, 360
Anodizing, component protection, 369
Apparent strain analysis of orthogonal machining: allowing for the effects of strain rate and temperature, 187
Approximate method for predicting metal flow in forging and extrusion operations, 9, S3
Atomizer design for methanol fuels, 142, S29
Autoclaves, failure regime, 314
Automated mobile laboratory for continuous monitoring of atmospheric pollutants, 357, S79
Automation, computer controlled, S80
Axial velocity distribution, S3, S4
Axle load spectrum, highway bridges, 264

Bacat barge carrier system, 60
Bearings
  dry, 172
  gas, test rig, 125
  internal, supports, 179
  plain, maintaining contact at, 249
  zero-clearance analysis, 249
Beta distribution, 304
Bimodal distribution, S61
Boil and collapse phenomena, 18, 22
Boilers, waste heat, 283, 285
Boundary conditions for turbulent flow, 243
Boundary-layer approximations for turbulent flow, 240
Brakeblocks
  high phosphorus, S9, S12
  palletization of, S10, S12
Bridges, highway, variable amplitude fatigue, 259, S49
British Rail Engineering Limited, 321
British Railways
  Central Engineering Training Group, 276
  Engineering Management Organization, 272
  future development, 273
  London Midland Region, 272
  nationalization, 272
  quality assurance, 383, S85
  Railways Research Organization, 274
  speed aspects, 274
  see also locomotives; railway(s)

CAD/CAM, S63, S64, S67
Cadmium plating, 369
Calibration procedures, S80
Capacitance transducers, 373, S81
Cars, corrosion protection, 365
Casting. *See* die casting; iron castings
Challenge and change, 331
Chemical plant, decision-making on maintenance policy, 308
Class 56 freight locomotives of British Railways, 65, S91
Cleaning
  corrosion protection, 366
  modern technology, S67
  underground railway tunnels. *See* tunnel cleaning machines
Coal
  as fuel for gas turbine, 288
  cost comparison with oil, 338
Cold working
  effect on creep strength, 398
  upper-bound elemental technique, 13
Compressors, axial
  blading design method, 103, S19
  separation in cascade, 198
Computer aided design, 329
Computer analysis of three-dimensional turbulent flows around ships' hulls, 239
Computer Command Subsystem, 221
Computer controlled automation, S80
Computer programs
  airflow in rapid transit systems, 349
  FLASH, 242
  parcel handling machine design, 145
Computers
  for production control, 327
  to translate designs into hardware, 329
Connecting rods, motor cycle, 126
Conveyors, twin belt rising, 145, S33
Core and insert production, 41
Corrosion protection
  design for, 370
  functional testing, 367
  future developments, 371
  inherent corrosion resistance, 369
  system selection, 367
Corrosion protection methods on Rolls-Royce motor cars, 365
Crack propagation, Wheeler model for, S52
Creep, tertiary, 400
Creep damage, estimation of, 401
Creep properties of structural materials, 398
Creep rupture strength of welded joints, 392
Cross Manufacturing Company (1938) Limited, 123
Cumulative distribution function (CDF), 303, 304
Cumulative failure distribution, 302, 303
Cumulative hazard function (CHF) method, 302, 304, 306
Cupolas, cold blast, Horwich foundry, S9, S11, S12
Curvilinear coordinate system for turbulent flow, 240
Cutting methods
  plate, 323, S64, S66, S69
  strain analysis, 187

© I Mech E 1981

Cylinder, shear stress on surface, 1, S1
Cylinder liners, eggshell method, 127

Data processing, pollution control, 359
Data recording, pollution control, 359
Dawson Report, 275, 276
Decision-making, failure data analysis in, 301, S57
Design
  computer aided, 329
  probabilistic approaches to, 181, S43
  safety aspects, 331
  vehicle, reliability concept in, 181, S43
Design criterion for maintaining contact at plain bearings, 249
Design of axial compressor blading based on tests of a low speed compressor, 103, S19
Design testing and production performance of a die set for flashless forging, 77, S15
Development of quality assurance procedures on British Rail, 383, S85
Developments in merchant ships over the last decade, 47
Die casting of major engine components, 27, S7
Dies, flashless forging, 77, S15
Diesel cycle simulation with steam injection, 161, 166
Diesel engines
  shipping trends, 62
  testing, 325
Differential equations for turbulent flow, 240
District heating, Slough Estates, 288
Drives, roller chain, vibration of, 97, S17
Ductility of welded joints, 392
Dust, underground tunnel, 113
Dust discharge equipment, 119
Dust fire equipment, 119

Elastic follow-up, 400
Electric traction machines, repairs, 326
Electronic components, repair, 326
Energy conservation, 338
Energy resources, renewable, 338
Energy supplies, future, 337
Engine components, die casting, 27, S7
Engineer, career of, 331
Engineering industry, challenge and change in, 331
Engineering Industry Training Board, 276
Entrained velocity in SI engine, 231, 237
Environmental effects on structural materials in elevated temperature service, 396
Equation of state
  Starling's, 229
  Van der Waal's, 229
Exchange laws for turbulent flow, 240
Exhaust emissions and cold starting of a four-cylinder engine using methanol as fuel, 139, S29
Exhaust gases
  availability in internal combustion engines, 165
  steam generation, 157, S37
Extrusion, metal flow prediction, 9

Failure data analysis in decision-making, 301, S57
Failure statistics, S89
Fatigue, variable amplitude, highway bridges, 259, S49
Feasibility study into the use of direct injection of exhaust generated steam for improving the efficiency of reciprocating internal combustion engines, 157, S37
Feed pump suction system, 20
Feed water systems, water hammer in, 17
Finite difference equations for turbulent flow, 242
Finite difference grid for turbulent flow, 242
Finniston Report, 275, 276
Fisher-Snedecor *F* distribution, 304
Flame velocity, measurement in SI engine, 231
FLASH computer program, 242
Flow
  of gases and vapours from pressure vessels, 225
  turbulent, around hulls, 239
Flow calculations for real gases, 227
Flow characteristics of a piston–cylinder assembly with an off-centre, open port, 291
Flow equations for perfect gases, 226
Flow methods for separation treatment in general cascades, 195
Flow prediction
  in forging and extrusion, 9, S3–S5
  using upper-bound method, 9, S3
Forging, metal flow prediction, 9
Forging (flashless), 77, S15
  billet volume variation effect, 81
  cold forging tests, 81
  consistency, 83
  controlled displacement tests, 79
  design function, 78
  die characteristics, 79
  die design considerations, 77
  die set for, 77, S15
  hot forging test, 81
  hydraulic bolster, 82
  hydraulic features, 78
  internal die temperatures, 83
  preheat temperature variation effect, 82
  rigid die, 82
  simulated production run, 82
Forming, metal flow prediction, 9
Foundry, Horwich. *See* Horwich foundry
Fuel cost effects on shipping, 62
Fuel economy, 338
Fuel treatment, Slough Estates, 287
Fuels, methanol, *See* Methanol fuels
Future uses of aluminium alloys, 85

Gas analysers, pollution control, 358
Gas dividers, S79
Gas turbine/waste heat boiler plant, 283, 285
Gas turbines
  coal as fuel for, 288
  methanol fuels, S29
Gas velocity in SI engine, 236
Gases
  non-steady flow from pressure vessels, 225, S47
  perfect, flow equations for, 226
  real, flow calculations for, 227
Graphite lubricants, 173
Health and Safety at Work Act, S65, S68
Helium environmental effects, 397
High temperature application projects, 391
Hok-Un power station, Hong Kong, S55
Honda, die casting of engine components, 27, S7
Horwich foundry
  autopour and holding furnace, 44
  autopour failure, 43, 44
  autopour pouring unit, 41
  cold blast cupolas, S9, S11, S12
  core and insert production, 41
  evaluation and design, 39
  life expectancy of plant, S11, S13
  maintenance, 46, S9, S12
  melting practice, 41
  metal transfer, S9, S10, S12
  modernization of, 39, S9
  moulding line, 44
  moulding plant, 41, S9, S11, S12
  operational problems, 44
  palletization of brakeblocks, S10, S12

© I Mech 1981

plant commissioning, 43
railway components, 39
sand practice, 40
scope of project, 39
scrap rates, S10, S12
training, 40
wet arrestors, S9, S12
Hot working, upper-bound elemental technique, 11
Hull Surveillance Project, 338
Hulls, turbulent flow around, 239, 243
Humidity testing, 367
Hyper-exponential distribution, 302

Impellers, radial, separation in, 199
Improvement in the treatment of separation in general cascades by potential flow methods, 195
Institution of Mechanical Engineers
control of engineering standards, 276
Corporate Membership requirements, 272, 275, 276
Monitored Professional Development Scheme, 275
Internal combustion engines
direct injection of exhaust generated steam, 157, S37
efficiency improvement, 157, S37
exhaust gases availability in, 165
methanol fuels, 139, S29
some more experiments with, 123
Investigation of the application of failure data analysis to decision-making in maintenance of process plants, Part 1, 301, S57; Part 2, 308, S57
Iron castings, railway components, 39

Japan
high temperature application projects, 391
nuclear reactors, 391

Laboratory, pollution monitoring, 357, S79
Laser-Doppler anemometry, 291
LASH barge carrier system, 60
Lifts, paternoster, 131
Liverpool and Manchester Railway, 269
Locomotives
Class 56
air conditioning, S95, S96
alleged 'bumping and banging' noises, 76
block freight trains, 71
body/bogie lifting attachment, S95
body structure, 65
bodyside air filters, 73, S91
bogie dynamic stresses, 76
bogies, 69, S95
braking system, 70
cab air conditioning, 73
cab design, S93
cab environment, S96
cab floor vibration, 75
compressor drive, S97
construction and testing aspects, 70, S93
costs, S92, S94
design features, 65, S94
diesel-electric freight, 65, S91
electrical control, 69
engine exhaust system bellows, 74
'flexicoil' springs, S95
freightliner trains, 71
hydrostatically driven radiator fan system, S94
'merry-go-round' coal trains, 71, S95
operating utilization, 71, S92, S94
periodicity between examinations, S93
pipe joint failures, S94
power unit, 68
reliability, S96
ride quality, 75, S95
route availability, S95
sealing arrangement, S94
service introduction and experience, 72
short-circuiter for electrical fault clearance, S93
stress points, S96
traction motors, 68
tractive effort, S93
tractive effort control unit, 75
turbocharger surge, 74, S92
whell transfer system, S96
historical development, 269
new construction, 321
repair, 325
testing, S70
London Transport, pressure fluctuations on Victoria Line, 341, 349, S73
Lower-bound theory, 9
Lubricants
graphite, 173
molybdenum disulphide, 174
PTFE, 175, S41
Lubrication, steam turbines, 172

Machine tools
development progress, 321, S63, S64, S66, S67, S68, S69, S70
management methods, 327
Machining
engine components, 326
orthogonal cutting, strain analysis, 187
sheet metal, 322
Maintenance
Horwich foundry, 46, S9, S12
process plants, 301
Maintenance policy
and failure regime, 306, S59
and shape parameter β, 316
chemical plant, 308
Materials developments, 332
Mean time between failures (MTBF), 303, 309, 312, 313, 314, 317, 318, 319
Measurement of flame velocity and entrained velocity from high speed photographs in the SI engine, 231
Melting practice, Horwich foundry, 41
Metal transfer, Horwich foundry, S9, S10, S12
Meteorological instrumentation, S80
pollution control, 359
Methanol fuels, 139, S29
atomizer design for, 142, S29
cold starting, 141, S29, S31
droplet cloud evaporation history, 143
droplet evaporation, 141
exhaust emissions, 140, S29, S31
gas turbines, S29
ignition timing and flame speed, 139, S29, S31
mixture maldistribution, 140, S29
mixture strength evaluation, 143
Modernization of Horwich foundry, 39, S9
Molybdenum disulphide lubricants, 174
Monitoring, atmospheric pollution, 357, S79
Motivation, 269
Moulding plant, Horwich foundry, 41, S9, S11, S12

Nickel-base superalloys, 397, 400
Nitric oxide analyser, 358
Nitrogen dioxide analyser, 358
Non-steady flow of gases and vapours from pressure vessels, 225, S47
Nuclear energy, challenge of, 339

© I Mech E 1981

Nuclear power, shipping trends, 62
Nuclear reactors, Japan, 391

Offshore engineering, future, 336
Oil film thickness measurement, 373, S81
Oil supplies, cost aspects, 338
On-condition preventive maintenance (OCPM), 307, 311, 318, S57, S58, S59, S60
Operational Performance Project, 338
Optimization of the design of a high capital cost parcel handling machine by computer simulation, 145, S33
Ozone analyser, 358

Painting, component protection, 368
Palletization of brakeblocks, S10, S12
Palmgren-Miner law, 260, 266, S50
PAMMS (Plant and Machinery Maintenance System), 273
Parcel handling machine design, 145, S33
Pareto analysis, 301, S89
Particulate samplers, pollution control, 359
Paternoster lift
  car bracket design, 132
  chain motion, 134
  description of installation, 131
  failure analysis, 131
  flexible suspension, 135
  geared drive, 134
  peg and cup suspension, 136
  redundant drive system, 135
  safety circuit, 135
  safety requirements, 132
Periodic preventive maintenance (PPM), 306, 318, S58, S59, S60, S61
Phosphate coating, 366
Photography, SI engine flame velocity and entrained velocity measurement, 231
Piston–cylinder assembly, off-centre open port, 291
Piston ring at top dead centre, 373, S81
Plastics
  corrosion resistance, 370
  glass-reinforced, 324, S63
  plating, component protection, 368
Pollution control
  air, S68
  air sampling, 357
  atmospheric chemical studies, 362
  atmospheric monitoring, 357, S79
  data processing, 359
  data recording, 359
  gas analysers, 358
  meteorological instruments, 359
  particulate samplers, 359
  pollution 'episode' analysis, 362
Ports, off-centre open, in piston–cylinder assembly, 291
Pressure fluctuations on London Transport Victoria Line, 341, 349, S73
Pressure transducers, 343
Pressure vessels, non-steady flow of gases and vapours, 225, S47
Probabilistic approaches to design, 181, S43
Process plants, maintenance of, 301
Production control, computers for, 327
Propane vapour, blow-down from rail tank car, 227
PTFE lubricants, 175, S41

Quality assurance
  British Railways, 383, S85
  control of, S87
  costs, 388, S85, S87, S89
  definition, 384
  designer involvement, S87, S90
  experience with, 385
  levels of involvement, S89
  mechanism of, 384
  Nationalized Industries Liaison Group, S89
  optimum level, S87
  organization of, 388, S88
  personnel, S85, S88, S90
  procedures survey, S86
  reliability by, S87
  specifications in, 387
Quality control
  definition, 384
  railway rolling stock, 388
  workmanship, 333
Quality plans, 387

Railway components, iron castings, 39
Railway engineering, historical development, 269
Railways
  rolling stock developments, 321
  rolling stock quality control, 388
  rolling stock repair, 325, S68
  underground tunnel cleaning machines. *See* tunnel cleaning machines
  vehicle assembly and testing, 324
  vehicle testing, S64, S68
Rayleigh loading, S50, S51, S52, S54
  highway bridges, 260
Recent research and developments in high temperature design in Japan, 391
Reliability, 331, S89
  by quality assurance, S87
Reliability concept in vehicle design, 181, S43
Repowering of Slough Estates for optimum energy conversion, 279, S55
Risk analysis, 335, 336
Road Research Laboratory, S79
Robots, 329, S66, S69
Roller chain drives, vibration of, 97, S17
Rolls-Royce cars, corrosion protection, 365
Rotary valve engines, 123

Safety, 331
Salt spray test, 367
Sand practice, Horwich foundry, 40
Scavenging coefficients, variation with blow-down angle, 210
Scavenging models for two-stroke engines, 203
Scavenging test procedure, 208
Sea Bee barge carrier system, 60
Sensors, skin friction, 1, S1
Shape parameter β, 316, 318, S57, S58, S59, S60
Shear stress on surface of cylinder in cross-flow, 1, S1
Sheet metal machining, 322
Shipping
  ancillary services, 50
  barge carriers, 60
  cargo liners, 52
  chemical carriers, 56
  combination carriers, 58
  container ships, 53
  car carriers, 59
  diesel installations, 62
  ferries, 52
  fuel cost effects on, 62
  liquid gas carriers, 58
  manning, 50
  merchant, developments, 47
  ore/bulk carriers, 58
  other power units and auxiliaries, 62
  passenger ships, 51
  passenger traffic, 49

© Mech 1981

port and berth trends, 50
propulsion systems, 61
roll-on roll-off, 59
ship developments, 51
shore staffs, 50
steam plant, 61
tankers, 55
trading background, 47
tramps, 58
trends in naval and merchant vessels 1978, 64
UK fleet, 49
UK trade, 48
world trade, 47
Shot blasting, repair process, 327
Skin friction
direct measurements, 1, S1
indirect measurements, 1
Skin friction coefficients, rapid transit systems, 354, S75
Skin friction experiments on circular cylinder, 2
Skin friction sensor and its applications on the surface of a circular cylinder, 1, S1
Sliding of high temperature components in steam turbines, 171, S41
Slough Estates repowering, 279
choice of fuels, 284
choice of plant, 283
combined cycles, 280
combined heat and power, 279
description of new plant, 285
district heating, 288
economic comparisons, 283
economic considerations, 289
energy conversion improvement, 288
existing installation, 281
flexibility of operation, 287
fuel treatment, 287
future development, 288
gas turbine/heat recovery boiler, 283
history, 281
load growth, 282
steam power balance, 280
topping turbine scheme, 283
traditional plant cycles, 279
Sodium environment effects, 396
Solar independent power, 220
Some more experiments with internal combustion engines, 123
Some scavenging models for two-stroke engines, 203
Spacecraft, Voyager. *See* Voyager spacecraft
Spark-ignition engine, flame velocity and entrained velocity, 231
Specifications, S86
quality assurance, 387
Stainless steels, 369
Starling's equation of state, 229
Starting, cold, methanol fuels, 141
Steam generation, exhaust gases, 157, S37
Steam injection in IC engine cylinder, 157, S37
Steam plant, shipping trends, 61
Steam turbines
dry bearing materials, 172
internal bearing supports, 179
lubrication problems, 172
sliding of high temperature components, 171, S41
Steels, austenitic stainless, 392, 397
Storage methods, S65, S69
Strain analysis, orthogonal machining, 187
Strain rate effects in orthogonal machining, 187
Stress concentration factor, 337
Stress distribution in vehicle design, 183, S43
Stress value, tertiary creep, 400
Sulphur dioxide analyser, 358
Superalloys, 397, 400
research and development of, 391
technical assistance to, 387
Suppliers appraisal system, 386, S86, S88, S9.

Temperature effects in orthogonal machining, 187
Times between failures (TBFs), 302–4
Titan III E Centaur D–1T launch vehicle, 215
Train pressure signature, 345
Train sensors, 344
Training
engineer, 339
foundry staff, 40
new technology, S65, S66, S68
Transport equation for turbulent flow, 241
Tunnel cleaning machines, 113, S25
blowing fan, S25, S26
busline, S26, S27
cleaning of cut and cover tunnels, S25, S26
cleaning capacity, S25, S27
commissioning trials, 120, S25, S26
crew environment, S26, S27
design and construction, 115
design features, 114
dust discharge equipment, 119
dust fire equipment, 119
experimental approach, 113
filter socks, S25, S27
fire protection systems, S26, S27
general comments, 120
general data, 121
hydraulic drive, 118
mode of cleaning, S25, S27
slow speed drive, S26
traction motor design, S25, S27
working speeds: refuse separation and measures to reduce dust, S25, S26
Turbulent flow, around hulls, 239
Two-stroke engines, scavenging models for, 203

Unsteady airflows in rapid transit systems: Part 1, 341, S73; Part 2, 349, S73
Upper-bound elemental technique, 10
cold working, 13
hot working, 11
Upper-bound theory, 9
Use of modern technology in BREL Workshops, 321, S63

Van der Waal's equation of state, 229
Vapours, non-steady flow from pressure vessels, 225, S47
Variable amplitude fatigue in relation to highway bridges, 259, S49
Vehicle design. *See* design
Vendor rating systems, 386
Vibration of a roller chain drive operating at constant speed and load, 97, S17
Vortex shedding frequency measurements, 4
Voyager spacecraft, 211
attitude control, 219
configuration, 216
data handling, 222
design details, 215
development programme, 223
Flight Data Subsystem, 222
Ground Data System, 223
launch vehicle, 215
long range communications, 218
mission objective, 212
Mission Operations System, 223
project background, 211
propulsion subsystem, 222

© I Mech 1981

Voyager spacecraft—*Continued*
sequencing and control, 221
solar independent power, 220
total system, 223

Waste heat boilers, 283, 285
Water hammer
component strengths, 23
incidents in CEGB power stations, 18
incidents in water reactor power stations, 19
loads due to, 22
occurrence and explanation of, 17
steam void collapse, 19
Water hammer phenomena in thermal power station feed water systems, 17
Weibull analysis, 301, 308, S58
Weibull distribution, 302, 303, S57, S58, S59, S61
Welded joints
creep rupture strength of, 392
ductility of, 392
Welding, spot, 'burn through', S65
Wheeler model for crack propagation, S52
Workmanship quality control, 333
Workshop layout, S67, S69, S71

Zinc plating, 369

© I Mech E 1981